

28<sup>th</sup> Annual NIDCAP Trainers Meeting, Edmonton, Alberta, Canada, October 21–24, 2017

# The effect of a Sleep Care Educational Program on Nurses' Knowledge and Practice in Newborn Intensive Care Nursery (NICN)

Marzieh Hasanpour\*<sup>1</sup>, Fatemeh Farashi<sup>2</sup>, Majid Mohammadizadeh<sup>3</sup>, Zahra Abdeyazdan<sup>4</sup>
1-RN, PhD, NIDCAP Professional, Pediatric and Newborn Intensive Care Nursing Department, School of Nursing and Midwifery, Tehran University of Medical Sciences, Tehran, Iran.
2- MSc in NIC Nursing, Student Research Center, School of Nursing and Midwifery, Isfahan University of Medical Sciences, Isfahan, Iran.
3- MD, Department of Neonatology, Medical School, Isfahan University of Medical Sciences, Isfahan, Iran.

4- Nursing and Midwifery Care Research Center, Faculty of Nursing and Midwifery, Isfahan University of Medical Sciences, Isfahan, Iran.

*Corresponding Author:* Marzieh Hasanpour, RN, PhD, NIDCAP Professional, Pediatric and Newborn Intensive Care Nursing Department, School of Nursing and Midwifery, Tehran University of Medical Sciences, Tehran, Iran. Email: <u>m-hasanpour@sina.tums.ac.ir</u>

# Abstract

**Background & Research Objectives:** All babies have important sleep needs, and those born prematurely have their own unique set of sleep habits and needs that are different from those of a full-term baby. Sleep is essential for organizing and maturing the brain in premature infants; it also plays a role in maintaining the natural balance between different nervous centers. Dr. Als' Synactive Theory and the NIDCAP Model of care were presented in the 1st International NIDCAP Workshop held in Al-Zahara Hospital in Isfahan, Iran in Oct 2013. This study aimed at assessing the effect of a sleep care educational program on the nurses' Knowledge and Practice in Newborn Intensive Care Nursery (NICN).

**Methods:** In this quasi-experimental pre-posttest study structured into three stages, 35 nurses working in an NICU in Isfahan, Iran, were included. The newborn sleep care educational program included oral presentation sessions with questions and answers followed by nurses' exposure to sleep posters and booklets in the NICN. Data was collected by a nurses' knowledge questionnaire having shown validity and reliability through content validity and internal consistency respectively. The questionnaire consisted of 40 multiple-choice questions asked prior to, immediately after, and 1 month after the education program was implemented. Nurses' practice was evaluated prior to and 1 month after the educational intervention using 15 multiple-choice questionnaire. Data was analyzed by descriptive and inferential statistics using the SPSS16 software.

**Results:** The results revealed that the mean score of nurses' knowledge immediately and 1 month after the educational intervention was significantly increased as compared to prior to the intervention 33.33(4.4) vs. 19.33 (4.1) (P < 0.001). The score of nurses' practice was slightly improved following the educational intervention although it did not show any significant differences (P = 0.07, 42.6 (7.6) vs. 45.1 (7.8)).

**Conclusions:** According to the results of this study this method of education could lead to a significant increase in nurses' knowledge, however it did not significantly improve their practice. This may be due to the low number of educational sessions; therefore, we recommended to administrators of NICN to invest in a long-term continuous educational program on premature infants' sleep care to enhance nurses' performance. Lastly, this education may result in nurses' support to create a quiet environment to promote good sleep in premature infants and improve their brain development as well as to decrease infants' developmental problems due to insufficient sleep in the noisy and crowded NICN with excessive handling and distracting procedures by staff.

**Take Home Message:** According to the American Academy of Pediatrics (AAP), premature infants may sleep for as many as 22 hours a day, but only for about an hour at a time. Also according to the NIDCAP Model, states of consciousness (sleep & wake) is an important component in NICN. Nurses have an important role in creating a quiet environment for premature infant's brain development with good sleep. We recommended that NICN executives continue their efforts to improve nurses' knowledge and practice by scheduling appropriate sleep care educational programs as a long-term continuous education.

**Keywords:** Newborn Intensive Care Nursery, Newborn Sleep, Nursing knowledge, Nursing Practice, Education Program

### Acknowledgment:

The authors wish to express their gratitude to all Nurses of NICN in Al-Zahara Medical Center in Isfahan for their generous consent to take part in the present study. They also express their appreciation to the Nursing and Midwifery Care Research Center and Vice-Chancellery for Research at Isfahan University of Medical Sciences for funding the reported Thesis and research project (No: 393760) and for their support of this study.

### Financial support and sponsorship:

The study was supported by Vice-Chancellery for Research at Isfahan University of Medical Sciences for funding the reported research project (No: 393760).

## **Conflicts of interest**

There are no conflicts of interest.

#### References

Hockenberry MJ, Wilson D, Wong DL. Wong's Essentials of Pediatric Nursing: Wong's Essentials of Pediatric [Book on CD-ROM]. 9th ed. USA: Elsevier; 2011. p. 493-4.
 Als H. Newborn individualized developmental care and assessment program (NIDCAP): New frontier for neonatal and perinatal medicine. J Neonatal Perinatal Med 2009;2:135-47.

3. Kenner C, Mcgrath J. Developmental Care of Newborns & Infants [Book on CD-ROM]. Arizona: Catherine Albright Jackson; 2004. p. 43-50.

4. Ludington-Hoe SM, Johnson MW, Morgan K, Lewis T, Gutman J, Wilson PD, et al. Neurophysiologic assessment of neonatal sleep organization: Preliminary results of a randomized, controlled trial of skin contact with preterm infants. Pediatrics 2006;117:909-23.

Allen KA. Promoting and protecting infant sleep. Adv Neonatal Care 2012;12:288-91.
 Duran R, Ciftdemir NA, Ozbek UV, Berberoglu U, Durankus F, Süt N, et al. The effects of noise reduction by earmuffs on the physiologic and behavioral responses in very low birth weight preterm infants. Int J Pediatr Otorhinolaryngol 2012;76:1490-3.
 Tarullo AR, Balsam PD, Fifer WP. Sleep and infant learning. Infant Child Dev 2011;20:35-46.

8. Verklan MT, Walden M. Core Curriculum for Neonatal Intensive Care Nursing [Book on CD-ROM]. 4th ed. USA: W.B. Saunders, Elsevier; 2010. p. 210-4.

9. Westrup B. Newborn individualized developmental care and assessment program (NIDCAP) - Family-centered developmentally supportive care. Early Hum Dev 2007;83:443-9.

10. Laudert S, Liu WF, Blackington S, Perkins B, Martin S, Macmillan-York E, et al. Implementing potentially better practices to support the neurodevelopment of infants in the NICU. J Perinatol 2007;27 Suppl 2:S75-93.

11. Jan JE, Asante KO, Conry JL, Fast DK, Bax MC, Ipsiroglu OS, et al. Sleep health issues for children with FASD: Clinical considerations. Int J Pediatr 2010;2010. pii: 639048.

12. Calciolari G, Montirosso R. The sleep protection in the preterm infants. J Matern Fetal Neonatal Med 2011;24 Suppl 1:12-4.

13. Miyazaki MY, Caliri MH, dos Santos CB. Knowledge on pressure ulcer prevention among nursing professionals. Rev Lat Am Enfermagem 2010;18:1203-11.

14. Mohammed SR, Bayoumi MH, Mahmoud FS. The effect of developmentally supportive care training program on nurses' performance and behavioral responses of newborn infants. Egypt: Pediatric Nursing-Faculty of Nursing-Benha University; 2014.

15. Ahmed GE, Mohammad HA, Assiri MH, Ameri AN. Effect of instructional sessions on nurses' and doctors' knowledge and practice regarding developmental care in NICU in Abha City. J Educ Pract 2013;4:49-58.

16. Goudarzi Z, Tefaq MR, Monjamed Z, Memari A. Impact on the knowledge and practice of neonatal special care for training nurses in pediatric units. J Hayat 2004;10:25-31.

17. Ahmed AH. Breastfeeding preterm infants: An educational program to support mothers of preterm infants in Cairo, Egypt. Pediatr Nurs 2008;34:125-30, 138.

18. Liaw JJ, Yang L, Chang LH, Chou HL, Chao SC. Improving neonatal caregiving through a developmentally supportive care training program. Appl Nurs Res 2009;22:86-93.

19. Hadian Shirazi Z, Kargar M, Edraki M, Ghaem H, Pishva N. The effect of instructing the principles of endotracheal tube suctioning on knowledge and performance of nursing staff working in neonatal intensive care units. J Shiraz Univ Med Sci 2010;9:365-70.

20. Day T, Wainwright SP, Wilson-Barnett J. An evaluation of a teaching intervention to improve the practice of endotracheal suctioning in intensive care units. J Clin Nurs 2001;10:682-96.

21. Godarzi Z, Rahimi O, Khalesi N, Soleimani F, Mohammadi N, Shamshiri AR. The rate of developmental care delivery in neonatal intensive care unit. J Nurs 2015;8:117-24.